

DocuPrint
P355 d
M355 df



DocuPrint P355 d and M355 df Monochrome Laser Printer

Performance and efficiency
for fast paced workgroups



The Fuji Xerox DocuPrint P355 d and M355 df deliver brilliant performance for any small or medium sized business, combining speed, efficiency and excellent networking capabilities in one compact unit.

With the features of a large enterprise machine yet at a price you can afford, the DocuPrint P355 d or M355 df are the ideal choice for busy work groups.

A powerful performer that keeps pace with your demands

- **Keeps up with your busy work environment.** With print speeds of 35 pages per minute you won't be kept waiting for your print job.
- **Superb image clarity.** The speedy 533 MHz processor and 256 MB memory together with genuine PostScript® 3™ ensures your image output is crisp, sharp and exactly how you intended.
- **Fast off the mark.** It takes just 6 seconds for your first page to appear in the output tray.
- **Print in a variety of media and sizes.** From thick paper, card stock, envelopes or labels; this versatile printer gives you crisp print performance every time.
- **High yield toner means fewer pit stops.** With 10,000 pages from one toner cartridge, it keeps you printing for longer without the need to stop and change cartridges.
- **Fast Networking.** Gigabit Ethernet capability enables faster communication between the printer and the network.

Secure networking and effortless print management

- **Confidential printing.** Advanced security features such as Secure Print*, Control Panel Lock, IPsec data encryption and IP filter ensures confidential and sensitive work can be encrypted for transmission over a network and hides it from prying eyes by only printing it when a password is entered on the control panel.
- **Easy setup and monitoring.** The Centware Internet Services (CWIS) function allows for easy configuration and access to the job status of the printer on the network. The software also generates email alerts that notify of events that require attention, such as low toner levels.
- **Take total control.** The Fuji Xerox Auditor function is a comprehensive management tool for network administrators. It puts an end to internal squabbles over print budgets by allowing an administrator to control who uses the printer and set limits on print volume.

Enterprise-wide operations

- **Extend your LAN to WAN.** The DocuPrint P355 d and M355 df are both supported for wide-area network printing in enterprise business applications, providing the same feature-rich environment as when printing over the office local-area network.
- **Expanded Citrix printing.** The print utility for XenApp has a number of new features and provides enhanced usability and improved administration for Citrix printing.
- **Good news for SAP users.** The ApeosWare Device type enables the DocuPrint P355 d to be used in SAP R/3 or mySAP environments, helping create beautifully formatted reports, forms and barcodes, and simplifying administrative chores.




DocuPrint P355 d

- Print up to 35 ppm
- Powerful 533 MHz processor
- Resolution up to 1200 x 1200 dpi
- Automatic duplex
- Gigabit ethernet



WxDxH:
393mm x 426mm x 267mm



DocuPrint M355 df

- Print up to 35 ppm
- Powerful 533 MHz processor
- Resolution up to 1200 x 1200 dpi (print), 600 x 600 dpi (copy) and 400 x 400 dpi (fax)
- Automatic duplex
- Gigabit ethernet

WxDxH:
430mm x 426mm x 503mm

*Secure Print requires 512mb RAM upgrade.



DocuPrint M355 df Multifunction Printer

Discover the benefits of an all-in-one multifunction machine:

- Optical Character Recognition (OCR) delivers top quality scanning, turning paper documents into electronic files so you can save, share and retrieve information efficiently.
- Print, Copy, Scan and Fax from one cost-effective device.
- Save time and paper with the DirectFax function which enables you to send faxes directly from a PC.
- Streamline productivity with colour scanning to USB memory, Email, FTP or network folder.



Packed with smart features. The Duplex Automatic Document Feeder on the DocuPrint M355 df makes scanning, copying and faxing of two-sided documents a breeze.

Easy to use interface. The simple front panel makes walkup functions and features accessible with the touch of a button.



- 1 Duplex Automatic Document Feeder provides fast scanning, copying and faxing of two-sided multi-page jobs.
- 2 USB memory port allows you to save scans directly onto a USB or print directly from a USB memory drive.
- 3 50-sheet multipurpose tray handles a variety of paper and custom sizes, including envelopes, labels and post cards.
- 4 The 250 sheet paper tray contains plenty of paper for a busy work group. It handles a number of paper types and sizes.
- 5 An additional (optional) sheet feeder can boost total capacity to 550 sheets.
- 6 Easy to access front output tray with dark blue colour making it easy see a printed job in the output tray.



Specifications of DocuPrint P355 d / M355 df

Print Function

Product Name	DocuPrint P355 d	DocuPrint M355 df
Print Speed (A4)	Up to 35ppm	
Duplex Print (A4 SEF)	Up to 21ppm	
Print Resolution	Up to 1200 x 1200dpi	
First-page-out Time	6 seconds or less (ready mode)	
Warm-up Time	20 seconds or less	
Memory (std/max)	256MB/768MB	
Processor	533MHz	
PDL	PCL5/PCL6/Adobe Genuine PostScript® 3™	
Connectivity	USB2.0 (Hi-Speed) 10Base-T/100Base-TX/1000Base-T IEEE802.11b/g/n (Optional)	
WiFi Specification † (Optional)		
Compliant Standard Security Protocol	IEEE802.11b/g/n 64(40-bit key) / 128(104-bit key) WEP, WPA-PSK (TKIP, AES) WPA2-PSK (AES)	
Certifications	WiFi, WPA2.0 (Personal)	
WiFi Protected Setup (WPS)	Push Button Configuration (PBC) Personal Identification Number(PIN)	
Supported Operating System	Microsoft Windows XP (32bit / 64bit), Server 2003 (32bit / 64bit) Vista (32bit / 64bit), Server 2008 (32bit / 64bit) Server 2008 R2 (64bit), Windows 7 (32bit / 64bit) Mac OS X 10.3.9, 10.4, 10.5, 10.6, 10.7 Red Hat Enterprise Linux 5/6 (x86) SUSE Linux Enterprise Desktop 10/11 (x86)	
Protocol (For DocuPrint P355 d / M355 df)	TCP/IP (LPD, Port9100, WSD, HTTP, HTTPS, SMTP, RARP) AutoIP, WINS, FTP, Telnet, DNS, DDNS, IPP, SNMP, SMB, NetBEUI) SNMP, DHCP, BOOTP, Bonjour® (mDNS)	
Automatic two-sided printing	Standard	
Input Paper Size	Main Tray: A4, B5, A5, Legal (8.5 x 14"), Folio (8.5 x 13") Letter (8.5 x 11"), Executive Custom: (Width: 139.7 – 215.9mm, Length: 210 – 355.6mm) Multipurpose Tray: A4, B5, A5, Legal (8.5 x 14"), Folio (8.5 x 13") Letter (8.5 x 11"), Executive, C5, Com-10, DL, Monarch Custom (Width: 76.2 – 215.9mm, Length: 127 – 355.6mm) Optional Tray: A4, B5, A5, Legal (8.5 x 14"), Folio (8.5 x 13") Letter (8.5 x 11"), Executive, Custom(Width: 139.7 – 215.9mm Length: 210 – 355.6mm)	
Input Media Weight & Type	Plain (60 – 80 gsm), Plain Thick (81 – 105 gsm) Light Card (106 – 163 gsm), Heavy Card (164 – 216 gsm) Envelope, Labels, Letterhead, Hole Punched, coloured 2 sided printing: 60 – 163 gsm plain paper	
Media Input Capacity	Main Tray and Optional Tray: 250 sheets Multipurpose Tray: 50 sheets	
Media Output Capacity	150 sheets face down	
Operating Environment Temperature	10 - 32 °C; Humidity: 10 - 85 %	
Electrical Power	220–240 VAC, 50/60 Hz or 110–127 VAC, 50/60 Hz	
Power consumption	Maximum:1200W Sleep mode: 4W Average: During standby: 45W ; During continuous printing: 550W	
Monthly Maximum Duty Cycle	69,000 pages	
Print Features	Toner Save Mode, Duplex, Print Cancel (from panel), N-up, Poster Watermarks, Collate, Image Rotation (180degree)	
Dimensions (WxDxH)	393mm x 426mm x 267mm	430mm x 426mm x 503mm
Weight	11.3kg	18.1kg
Warranty	1 year on site warranty	

Copy Function

Product Name	DocuPrint M355 df
Copy Speed	35cpm
Copy Resolution	600 x 600 dpi
First-copy-out Time	9.0 seconds, 11 seconds (DADF)
Reduction/Enlargement	25 - 400 %
Continuous Copy	1 - 99 pages
Copy Feature	2in1 Copy, (ID Card Copy), Auto Duplex Copy, Edge Erase, Collate
Scan Function	
Type	Colour CCD
Scanning Resolution	1200 x 1200 dpi (Optical) 9600 x 9600 dpi
Colour Depth	24 bit
Document Size	Flatbed: 215.9mm x 297mm ADF: 215.9mm x 355.6mm
Scanning Speed^	DADF Simplex: 21 sheets/minute (Mono) 13 sheets/minute (Colour)
DADF Duplex: 7 sheets/minute	DADF Duplex: 7 sheets/minute (Mono) 4 sheets/minute (Colour)
Scan Destinations	Direct Scan to USB Memory Drive, Scan to Email, Scan to Network (FTP/SMB)
Supported Driver	TWAIN, Twain-Net, WIA, (WSD Scan)
Fax Function	
Compatibility	ITU-T Super G3
Communication System	PSTN, PBX, Leased line (3.4KHz/2-wire)
Transmission Speed	Up to 33.6 kbps
Memory Capacity	4MB
Fax Resolution	400 x 400 dpi (Max)
One-Touch/Speed Dials	One-Touch- Up to 8 locations, Speed Dials Up to 200 locations
Fax Features	DirectFax, Secure Fax Receive

Options

250 Sheet Feeder (For DocuPrint P355d)	EL300837
512MB Memory	EL300820
250 Sheet Feeder (For DocuPrint M355df)	EL300840
Wireless Network Kit b/g/n (For DocuPrint P355d/ M355df)	EL500261

Consumables

Standard yield toner cartridge (up to 4,000** pages)	CT201937
High yield toner cartridge (up to 10,000** pages)	CT201938

Additional Supplies

Drum Cartridge (up to 100,000** pages)	CT350973
Maintenance Kit 220V (up to 100,000** pages)	EL300844

^ The scanning speed varies depending on documents.

* Print speed may decrease due to factors such as paper type, paper size, and printing conditions.

** Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode. Printer is shipped with one starter toner cartridge, average yield 4,000 pages.

The following functions require either 512MB memory or HDD.

- Collate, Secure Print, Proof Print, Saved Job, PCL font download, PCL macro download.
- Colour high resolution scan (Above 400dpi) (Only DocuPrint M355d).

Web Services on Devices (WSD) is available only on Windows Vista®, Windows® 7, Windows Server® 2008, or Windows Server® 2008 R2.

Notes

- 1) If the storage media (such as hard disk drives) of the base unit fail, loss of received data, accumulated data, registered setting data, etc. may occur. In no event shall Fuji Xerox be liable for any damages whatsoever arising from loss of data.
- 2) Functional spare parts will be available for at least 7 years after the product is no longer manufactured.
- 3) The product specifications, appearance and other details in this brochure are subject to change without notice for improvements.

Descriptions in this material, product specifications and/or appearances are subject to change without prior notice due to improvements. Please note that the product colour appears differently from the actual colour as a result of properties of papers or printing ink. Windows is registered trademark of Microsoft Corporation. Macintosh, Mac OS and Ether Talk are trademarks of Apple Computer, Inc.

Other company names or product names are registered trademarks or trademarks of each company.

WSD is a registered trademark of Microsoft Corporation.



For Your Safe Use

Before using the product, read the Instruction Manual carefully for proper use.
Use the product with an appropriate adequate power source and voltage displayed.
Be sure to establish a ground.
In the case of a failure or short circuit, an electric shock may result.



Reproduction Prohibitions Please note that reproduction of the following is prohibited by law. Domestic and overseas bank notes and coins, government-issued securities, national bonds and local bond certificates. Unused postage stamps and post cards. Certificate stamps stipulated by law. The reproduction of works for copyright purposes (literary works, musical works, paintings, engravings, maps, cinematographic works, photographic works, etc.) is prohibited except when they are reproduced personally, at home or within limited range according to the above. This product is equipped with an anti-counterfeit feature. This feature is not intended to prevent illegal reproduction. Be extremely careful about the management of equipment used.

For more information or detailed product specification, please call or visit us at

Fuji Xerox Singapore Pte Ltd

80 Anson Road #01-01 Fuji Xerox Towers Singapore 079907

Tel. +65-6766-8888

<http://www.fujixerox.com.sg/>

